

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12037	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L2	6	("5699513"   "6044402"   "6256671").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L3	1020	(prevent or stop or alleviate or deter or avert or avoid) (network or system or traffic or packet) (overload or traffic or congestion or clogging or blocking)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L4	1520	(prevent\$3 or stop\$4 or alleviat\$4 or deter\$3 or avert\$3 or avoid\$3) (network or system or traffic or packet) (overload\$3 or traffic or congest\$3 or clog\$3 or block\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L5	1063	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L6	12037	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L7	13133	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04

L8	5304	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L9	1128	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L10	27772	L5 or L6 or L7 or L8 or L9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L11	122	L4 and L10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L12	1	("7058974").PN.	US-PGPUB; USPAT	OR	OFF	2011/03/10 16:04
L13	14	"1280298"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L14	2	"9833333"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L15	4	"0186895"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L16	12	"2362076"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L17	3	"0986229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L18	0	"0986229A2"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04

L19	15	"2315967"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L20	0	(slow\$4 or impd\$3 or stop\$3) near3 (virus or worm or trojan) near3 propogat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L21	11	Behavior blocking software	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L22	22	virus near2 propagation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L23	31	Entercept	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L24	12720	queue near3 (revolv\$3 or management or record or compar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L25	1063	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L26	12037	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L27	13133	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L28	5304	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04

L29	1128	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L30	27772	L25 or L26 or L27 or L28 or L29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L31	545	L24 and L30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L32	235	{compare} same {list or record or queue} same {host or destination} same {previous}	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L33	0	{destination host} near5 compare near5 request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L34	2	"0309858"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L35	2	"0309858.9"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L36	0	destination host near5 compare near5 (queue or record or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L37	0	{destination host} near5 compare near5 previous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L38	20	compare network data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04

L39	0	destination host near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L40	1367	(host or resource or request) near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L41	341908	"709".clas. or "455". clas. or "713".clas. or "726".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L42	427	L40 and L41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L43	238	((successive or consecutive or adjacent) with (empty) near3 (buffer or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L44	41	((successive or consecutive or adjacent) with (empty) near3 (buffer or queue)) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L45	13473	(time near3 period or interval) same (buffer or queue) same (count \$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L46	8411	(time near3 (period or interval)) same (buffer or queue) same (count \$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L47	21	designated IP address near3 stor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L48	2	10/687694	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04

L49	130288	(record or list or queue or buffer) same (destination or recipient or reciever)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L50	2154	(monitor\$4 or screen\$4 or record\$4 or scan\$4) same (record or list or queue or buffer) same (time interval) same (destination or receiver or recipient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L51	223146	(record or list or queue or buffer) same (destination or recipient or receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L52	616	L50 and ((compar\$5 or match\$4 or correspond \$5) same (buffer or record or list or queue) same (request\$4 or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L53	12037	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L54	6	("5699513"   "6044402"   "6256671").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L55	1020	(prevent or stop or alleviate or deter or avert or avoid) (network or system or traffic or packet) (overload or traffic or congestion or cloging or blocking)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L56	1520	(prevent\$3 or stop\$4 or alleviat\$4 or deter\$3 or avert\$3 or avoid\$3) (network or system or traffic or packet) (overload\$3 or traffic or congest\$3 or clog\$3 or block\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04

L57	1063	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L58	12037	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L59	13133	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L60	5304	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L61	1128	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L62	27772	L57 or L58 or L59 or L60 or L61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L63	122	L56 and L62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L64	1	("7058974").PN.	US-PGPUB; USPAT	OR	OFF	2011/03/10 16:04
L65	14	"1280298"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L66	2	"9833333"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L67	4	"0186895"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04

L68	12	"2362076"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L69	3	"0986229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L70	0	"0986229A2"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L71	15	"2315967"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L72	0	(slow\$4 or impeded\$3 or stop\$3) near3 (virus or worm or trojan) near3 propogated\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L73	11	Behavior blocking software	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L74	22	virus near2 propogation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L75	31	Entercept	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L76	12720	queue near3 (revolv\$3 or management or record or compar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L77	1063	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04



L78	12037	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L79	13133	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L80	5304	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L81	1128	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L82	27772	L77 or L78 or L79 or L80 or L81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L83	545	L76 and L82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L84	235	(compare) same (list or record or queue) same (host or destination) same (previous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L85	0	(destination host) near5 compare near5 request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L86	2	"0309858"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L87	2	"0309858.9"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04

L88	0	destination host near5 compare near5 (queue or record or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L89	0	(destination host) near5 compare near5 previous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L90	20	compare network data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L91	0	destination host near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L92	1367	(host or resource or request) near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L93	341908	"709".clas. or "455". clas. or "713".clas. or "726".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L94	427	L92 and L93	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L95	238	(successive or consecutive or adjacent) with (empty) near3 (buffer or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L96	41	((successive or consecutive or adjacent) with (empty) near3 (buffer or queue)) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L97	13473	(time near3 period or interval) same (buffer or queue) same (count \$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04

L98	8411	(time near3 (period or interval)) same (buffer or queue) same (count \$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L99	21	designated IP address near3 stor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L100	2	10/687694	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L101	130288	(record or list or queue or buffer) same (destination or recipient or reciever)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L102	2154	(monitor\$4 or screen\$4 or record\$4 or scan\$4) same (record or list or queue or buffer) same (time interval) same (destination or receiver or recipient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L103	223146	(record or list or queue or buffer) same (destination or recipient or receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L104	616	L102 and ((compar\$5 or match\$4 or correspond\$5) same (buffer or record or list or queue) same (request\$4 or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L105	12037	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L106	6	("5699513"   "6044402"   "6256671").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04

L107	1020	(prevent or stop or alleviate or deter or avert or avoid) (network or system or traffic or packet) (overload or traffic or congestion or clogging or blocking)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L108	1520	(prevent\$3 or stop\$4 or alleviate\$4 or deter\$3 or avert\$3 or avoid\$3) (network or system or traffic or packet) (overload\$3 or traffic or congest\$3 or clog\$3 or block\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L109	1063	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L110	12037	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L111	13133	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L112	5304	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L113	1128	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L114	27772	L109 or L110 or L111 or L112 or L113	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L115	122	L108 and L114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04

L116	1	("7058974").PN.	US-PGPUB; USPAT	OR	OFF	2011/03/10 16:04
L117	14	"1280298"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L118	2	"9833333"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L119	4	"0186895"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L120	12	"2362076"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L121	3	"0986229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L122	0	"0986229A2"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L123	15	"2315967"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L124	0	(slow\$4 or impeded\$3 or stop\$3) near3 (virus or worm or trojan) near3 propogated\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L125	11	Behavior blocking software	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L126	22	virus near2 propogation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04

L127	31	Intercept	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L128	12720	queue near3 (revolv\$3 or management or record or compar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L129	1063	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L130	12037	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L131	13133	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L132	5304	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L133	1128	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L134	27772	L129 or L130 or L131 or L132 or L133	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L135	545	L128 and L134	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L136	235	(compare) same (list or record or queue) same (host or destination) same (previous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04

L137	0	(destination host) near5 compare near5 request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L138	2	"0309858"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L139	2	"0309858.9"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L140	0	destination host near5 compare near5 (queue or record or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L141	0	(destination host) near5 compare near5 previous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L142	20	compare network data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L143	0	destination host near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L144	1367	(host or resource or request) near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L145	341908	"709". clas. or "455". clas. or "713". clas. or "726". clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L146	427	L144 and L145	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04

L147	238	((successive or consecutive or adjacent) with (empty) near3 (buffer or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L148	41	((successive or consecutive or adjacent) with (empty) near3 (buffer or queue)) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L149	13473	(time near3 period or interval) same (buffer or queue) same (count \$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L150	8411	((time near3 (period or interval)) same (buffer or queue) same (count \$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L151	21	designated IP address near3 stor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L152	2	10/687694	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L153	130288	(record or list or queue or buffer) same (destination or recipient or reciever)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L154	2154	(monitor\$4 or screen\$4 or record\$4 or scan\$4) same (record or list or queue or buffer) same (time interval) same (destination or receiver or recipient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L155	223146	(record or list or queue or buffer) same (destination or recipient or receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04



L156	616	L154 and ((compar\$5 or match\$4 or correspond\$5) same (buffer or record or list or queue) same (request\$4 or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L157	12037	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L158	6	("5699513"   "6044402"   "6256671").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L159	1020	(prevent or stop or alleviate or deter or avert or avoid) (network or system or traffic or packet) (overload or traffic or congestion or clogging or blocking)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L160	1520	(prevent\$3 or stop\$4 or alleviat\$4 or deter\$3 or avert\$3 or avoid\$3) (network or system or traffic or packet) (overload\$3 or traffic or congest\$3 or clog\$3 or block\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L161	1063	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L162	12037	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L163	13133	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L164	5304	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04

L165	1128	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L166	27772	L161 or L162 or L163 or L164 or L165	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L167	122	L160 and L166	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L168	1	("7058974").PN.	US-PGPUB; USPAT	OR	OFF	2011/03/10 16:04
L169	14	"1280298"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L170	2	"9833333"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L171	4	"0186895"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L172	12	"2362076"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L173	3	"0986229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L174	0	"0986229A2"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L175	15	"2315967"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04

L176	0	(slow\$4 or impeded\$3 or stop\$3) near3 (virus or worm or trojan) near3 propagat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L177	11	Behavior blocking software	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L178	22	virus near2 propagation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L179	31	Entercept	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L180	12720	queue near3 (revolv\$3 or management or record or compar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L181	1063	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L182	12037	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L183	13133	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L184	5304	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L185	1128	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04

L186	27772	L181 or L182 or L183 or L184 or L185	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L187	545	L180 and L186	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L188	235	(compare) same (list or record or queue) same (host or destination) same (previous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L189	0	(destination host) near5 compare near5 request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L190	2	"0309858"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L191	2	"0309858.9"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L192	0	destination host near5 compare near5 (queue or record or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L193	0	(destination host) near5 compare near5 previous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L194	20	compare network data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L195	0	destination host near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04

L196	1367	(host or resource or request) near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L197	341908	"709".clas. or "455". clas. or "713".clas. or "726".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L198	427	L196 and L197	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L199	238	((successive or consecutive or adjacent) with (empty) near3 (buffer or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L200	41	((successive or consecutive or adjacent) with (empty) near3 (buffer or queue)) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L201	13473	((time near3 period or interval) same (buffer or queue) same (count \$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L202	8411	((time near3 (period or interval)) same (buffer or queue) same (count \$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L203	21	designated IP address near3 stor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L204	2	10/687694	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L205	130288	(record or list or queue or buffer) same (destination or recipient or reciever)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04

L206	2154	(monitor\$4 or screen\$4 or record\$4 or scan\$4) same (record or list or queue or buffer) same (time interval) same (destination or receiver or recipient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L207	223146	(record or list or queue or buffer) same (destination or recipient or receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L208	616	L206 and ((compar\$5 or match\$4 or correspond\$5) same (buffer or record or list or queue) same (request\$4 or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L209	14	{"20020013858"   "5341491"   "5699513"   "6044402"   "6122740"   "6256671"   "6356836").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L210	2	"7278159".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L211	2	"7032023".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
L212	2	"7373665".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/10 16:04
S1	5520	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/06 11:07
S2	6	{"5699513"   "6044402"   "6256671").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/06 11:08

S3	556	(prevent or stop or alleviate or deter or avert or avoid) (network or system or traffic or packet) (overload or traffic or congestion or clogging or blocking)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/22 14:49
S4	823	(prevent\$3 or stop\$4 or alleviate\$4 or deter\$3 or avert\$3 or avoid\$3) (network or system or traffic or packet) (overload\$3 or traffic or congest\$3 or clog\$3 or block\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/22 14:53
S5	764	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/22 14:53
S7	5574	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/22 14:56
S8	5854	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/22 14:56
S9	2691	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/22 14:56
S10	643	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/22 14:56
S11	13552	S5 or S7 or S8 or S9 or S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/22 14:57
S12	67	S4 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/22 16:32

S13	1	("7058974").PN.	US-PGPUB; USPAT	OR	OFF	2007/02/23 11:18
S14	12	"1280298"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/23 11:20
S15	2	"9833333"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/23 14:21
S16	24	"0186895"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/23 14:36
S17	8	"2362076"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/23 14:43
S18	3	"0986229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/23 14:44
S19	0	"0986229A2"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/23 14:52
S20	13	"2315967"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/23 15:35
S21	0	(slow\$4 or impeded\$3 or stop\$3) near3 (virus or worm or trojan) near3 propogated\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/23 15:37
S22	3	Behavior blocking software	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/23 15:39
S23	17	virus near2 propagation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/23 15:41



S24	7	Entercept	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/23 15:41
S25	7847	queue near3 (revolv\$3 or management or record or compar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:25
S26	764	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:25
S27	5574	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:25
S28	5854	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:25
S29	2691	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:25
S30	643	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:25
S31	13552	S26 or S27 or S28 or S29 or S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:25
S32	314	S25 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:46
S33	149	(compare) same (list or record or queue) same (host or destination) same (previous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:48

S34	1	(destination host) near5 compare near5 request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:50
S35	19	"0309858"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:50
S36	1	"0309858.9"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:55
S37	0	destination host near5 compare near5 (queue or record or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:57
S38	0	(destination host) near5 compare near5 previous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:57
S39	12	compare network data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:57
S40	0	destination host near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:58
S41	840	(host or resource or request) near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:59
S42	204322	"709".clas. or "455". clas. or "713".clas. or "726".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 08:01
S43	230	S41 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 08:01

S44	174	((successive or consecutive or adjacent) with (empty) near3 (buffer or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/27 08:01
S45	34	((successive or consecutive or adjacent) with (empty) near3 (buffer or queue)) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/27 08:10
S46	10321	((time near3 period or interval) same (buffer or queue) same (count \$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/27 08:11
S47	6458	((time near3 (period or interval)) same (buffer or queue) same (count \$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/27 08:11
S49	12	designated IP address near3 stor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/27 09:31
S50	1	10/687694	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/12 11:44
S51	84316	((record or list or queue or buffer) same (destination or recipient or reciever)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/12 11:48
S52	1765	((monitor\$4 or screen\$4 or record\$4 or scan\$4) same (record or list or queue or buffer) same (time interval) same (destination or receiver or recipient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/12 11:49
S53	151808	((record or list or queue or buffer) same (destination or recipient or receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/12 11:48

S54	475	S52 and ((compar\$5 or match\$4 or correspond \$5) same (buffer or record or list or queue) same (request\$4 or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/12 11:52
S55	7227	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S56	6	("5699513"   "6044402"   "6256671").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S57	673	(prevent or stop or alleviate or deter or avert or avoid) (network or system or traffic or packet) (overload or traffic or congestion or clogging or blocking)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S58	1003	(prevent\$3 or stop\$4 or alleviat\$4 or deter\$3 or avert\$3 or avoid\$3) (network or system or traffic or packet) (overload\$3 or traffic or congest\$3 or clog\$3 or block\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S59	832	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S60	7227	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S61	7301	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S62	3305	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40

S63	723	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S64	16860	S59 or S60 or S61 or S62 or S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S65	83	S58 and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S66	1	("7058974").PN.	US-PGPUB; USPAT	OR	OFF	2008/04/14 09:40
S67	14	"1280298"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S68	2	"9833333"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S69	3	"0186895"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S70	8	"2362076"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S71	2	"0986229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S72	0	"0986229A2"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S73	13	"2315967"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40

S74	0	(slow\$4 or impeded\$3 or stop\$3) near3 (virus or worm or trojan) near3 propagat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S75	4	Behavior blocking software	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S76	19	virus near2 propagation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S77	14	Entercept	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S78	9105	queue near3 (revolv\$3 or management or record or compar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S79	832	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S80	7227	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S81	7301	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S82	3305	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S83	723	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40

S84	16860	S79 or S80 or S81 or S82 or S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S85	365	S78 and S84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S86	168	(compare) same (list or record or queue) same (host or destination) same (previous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S87	0	(destination host) near5 compare near5 request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S88	2	"0309858"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S89	1	"0309858.9"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S90	0	destination host near5 compare near5 (queue or record or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S91	0	(destination host) near5 compare near5 previous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S92	16	compare network data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S93	0	destination host near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40

S94	990	(host or resource or request) near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S95	236692	"709".clas. or "455". clas. or "713".clas. or "726".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S96	271	S94 and S95	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S97	186	{(successive or consecutive or adjacent) with (empty) near3 (buffer or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S98	34	((successive or consecutive or adjacent) with (empty) near3 (buffer or queue)) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S99	11188	(time near3 period or interval) same (buffer or queue) same (count \$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S100	6971	(time near3 (period or interval)) same (buffer or queue) same (count \$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S101	15	designated IP address near3 stor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S102	1	10/687694	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S103	90358	(record or list or queue or buffer) same (destination or recipient or reciever)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40



S104	1817	(monitor\$4 or screen\$4 or record\$4 or scan\$4) same (record or list or queue or buffer) same (time interval) same (destination or receiver or recipient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S105	161060	(record or list or queue or buffer) same (destination or recipient or receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S106	496	S104 and ((compar\$5 or match\$4 or correspond\$5) same (buffer or record or list or queue) same (request\$4 or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S107	8182	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S108	6	("5699513"   "6044402"   "6256671").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S109	749	(prevent or stop or alleviate or deter or avert or avoid) (network or system or traffic or packet) (overload or traffic or congestion or clogging or blocking)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S110	1114	(prevent\$3 or stop\$4 or alleviat\$4 or deter\$3 or avert\$3 or avoid\$3) (network or system or traffic or packet) (overload\$3 or traffic or congest\$3 or clog\$3 or block\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S111	890	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48

S112	8182	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S113	8405	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S114	3716	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S115	799	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S116	19012	S111 or S112 or S113 or S114 or S115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S117	91	S110 and S116	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S118	1	("7058974").PN.	US-PGPUB; USPAT	OR	OFF	2009/01/05 07:48
S119	14	"1280298"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S120	2	"9833333"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S121	3	"0186895"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S122	9	"2362076"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48

S123	2	"0986229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S124	0	"0986229A2"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S125	13	"2315967"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S126	0	{slow\$4 or impd\$3 or stop\$3} near3 (virus or worm or trojan) near3 propogat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S127	6	Behavior blocking software	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S128	19	virus near2 propogation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S129	20	Entercept	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S130	10001	queue near3 (revolv\$3 or management or record or compar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S131	890	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S132	8182	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48

S133	8405	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S134	3716	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S135	799	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S136	19012	S131 or S132 or S133 or S134 or S135	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S137	413	S130 and S136	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S138	182	(compare) same (list or record or queue) same (host or destination) same (previous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S139	0	(destination host) near5 compare near5 request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S140	2	"0309858"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S141	1	"0309858.9"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S142	0	destination host near5 compare near5 (queue or record or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48

S143	0	(destination host) near5 compare near5 previous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S144	16	compare network data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S145	0	destination host near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S146	1062	(host or resource or request) near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S147	259683	"709".clas. or "455". clas. or "713".clas. or "726".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S148	293	S146 and S147	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S149	198	((successive or consecutive or adjacent) with (empty) near3 (buffer or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S150	35	((successive or consecutive or adjacent) with (empty) near3 (buffer or queue)) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S151	11723	((time near3 period or interval) same (buffer or queue) same (count \$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S152	7329	((time near3 (period or interval)) same (buffer or queue) same (count \$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48

S153	19	designated IP address near3 stor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S154	1	10/687694	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S155	100163	(record or list or queue or buffer) same (destination or recipient or reciever)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S156	1901	(monitor\$4 or screen\$4 or record\$4 or scan\$4) same (record or list or queue or buffer) same (time interval) same (destination or receiver or recipient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S157	176363	(record or list or queue or buffer) same (destination or recipient or receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S158	530	S156 and ((compar\$5 or match\$4 or correspond\$5) same (buffer or record or list or queue) same (request\$4 or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S159	8182	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S160	6	("5699513"   "6044402"   "6256671").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S161	749	(prevent or stop or alleviate or deter or avert or avoid) (network or system or traffic or packet) (overload or traffic or congestion or cloging or blocking)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48

S162	1114	(prevent\$3 or stop\$4 or alleviate\$4 or deter\$3 or avert\$3 or avoid\$3) (network or system or traffic or packet) (overload\$3 or traffic or congest\$3 or clog\$3 or block\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S163	890	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S164	8182	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S165	8405	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S166	3716	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S167	799	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S168	19012	S163 or S164 or S165 or S166 or S167	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S169	91	S162 and S168	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S170	1	("7058974").PN.	US-PGPUB; USPAT	OR	OFF	2009/01/05 07:48
S171	14	"1280298"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48

S172	2	"9833333"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S173	3	"0186895"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S174	9	"2362076"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S175	2	"0986229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S176	0	"0986229A2"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S177	13	"2315967"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S178	0	(slow\$4 or impd\$3 or stop\$3) near3 (virus or worm or trojan) near3 propogat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S179	6	Behavior blocking software	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S180	19	virus near2 propagation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S181	20	Entercept	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48



S182	10001	queue near3 (revolv\$3 or management or record or compar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S183	890	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S184	8182	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S185	8405	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S186	3716	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S187	799	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S188	19012	S183 or S184 or S185 or S186 or S187	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S189	413	S182 and S188	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S190	182	(compare) same (list or record or queue) same (host or destination) same (previous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S191	0	(destination host) near5 compare near5 request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48

S192	2	"0309858"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S193	1	"0309858.9"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S194	0	destination host near5 compare near5 (queue or record or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S195	0	(destination host) near5 compare near5 previous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S196	16	compare network data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S197	0	destination host near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S198	1062	(host or resource or request) near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S199	259683	"709".clas. or "455". clas. or "713".clas. or "726".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S200	293	S198 and S199	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S201	198	(successive or consecutive or adjacent) with (empty) near3 (buffer or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48

S202	35	((successive or consecutive or adjacent) with (empty) near3 (buffer or queue)) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S203	11723	(time near3 period or interval) same (buffer or queue) same (count \$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S204	7329	(time near3 (period or interval)) same (buffer or queue) same (count \$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S205	19	designated IP address near3 stor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S206	1	10/687694	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S207	100163	(record or list or queue or buffer) same (destination or recipient or reciever)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S208	1901	(monitor\$4 or screen\$4 or record\$4 or scan\$4) same (record or list or queue or buffer) same (time interval) same (destination or receiver or recipient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S209	176363	(record or list or queue or buffer) same (destination or recipient or receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S210	530	S208 and ((compar\$5 or match\$4 or correspond\$5) same (buffer or record or list or queue) same (request\$4 or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48

S211	14	("20020013858"   "5341491"   "5699513"   "6044402"   "6122740"   "6256671"   "6356836").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/12 23:24
S212	2	"7278159".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/13 19:51
S214	2	"7032023".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/13 20:09
S215	2	"7373665".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/15 13:53

3/10/2011 4:29:36 PM

C:\Documents and Settings\rmoran\My Documents\EAST\Workspaces\10687694\_1.wsp